



National Defense Center for Energy and Environment

Example Transfers of Corn-Hybrid Polymer (CHP) Blasting Technology

Joint Services Environmental Management Conference

May 5-8, 2008

Bill Thomas, Brad Ashton
National Defense Center for Energy and Environment

The NDCEE is operated by: CIC Concurrent Technologies Corporation



DoD Executive Agent

Office of the Assistant Secretary of the Army (Installations and Environment)

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comment arters Services, Directorate for Inf	s regarding this burden estimate formation Operations and Reports	or any other aspect of to , 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington		
1. REPORT DATE MAY 2008		2. REPORT TYPE		3. DATES COVERED 00-00-2008 to 00-00-2008			
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER					
Example Transfers	ting Technology	Technology 5b. GRANT NUMBER					
					5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER				
					5e. TASK NUMBER		
					5f. WORK UNIT NUMBER		
National Defense C	ZATION NAME(S) AND AE Center for Energy ar ologies Corporation PA,15904	nd Environment,O	perated by	8. PERFORMING REPORT NUMB	G ORGANIZATION ER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAII Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited					
13. SUPPLEMENTARY NO JSEM - Joint Servi May 2008, Denver,	ices Environmental	Management Train	ning Conference &	Exposition	Conference, 5-8		
14. ABSTRACT							
15. SUBJECT TERMS							
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	12	RESI ONSIBLE I ERSON		

Report Documentation Page

Form Approved OMB No. 0704-0188

Presentation Outline

- NDCEE Mission
- NDCEE Technology Transfer Approach
- CHP Technology Overview *
- CHP Demo and Transfer History
- Example Transfers
- Conclusion

for additional details, see JSEM presentation: B Yallay, "Corn Hybrid Polymer Media for Coatings Removal from Delicate Substrates"

National Defense Center for Energy and Environment (NDCEE)

Mission

- Serve as a national resource for researching, developing and validating environmental, safety and occupational health (ESOH) technologies and processes
- Advance technology transfer aimed at reducing total ownership costs in support of national defense

The NDCEE was established to support DoD installations, ranges, weapons systems, and the warfighter in achieving performance advantages, enhanced efficiency, costs savings, and regulatory compliance.

NDCEE Technology Transfer

■ Technology Transfer Definition:

- The activities necessary to field validated, cost-effective operational ESOH technologies for DoD installations and weapon systems
 - Focus on actual fielding of technologies for operational use
 - Activities can occur over long period of time multiple years and tasks

■ Two Basic Types of Transfer Efforts:

- "Initial" transfer : Transfer at the first demonstration / validation site
- "Lateral" transfer: Transfer at other relevant sites throughout DoD after successful initial demonstration / validation

Corn-Hybrid Polymer (CHP) Blasting Technology Overview

Description: Low pressure blasting system for coating removal from delicate substrates using corn-hybrid polymer blast media

ESOH Need:

- Environmentally acceptable coatings removal
- Improved human health by replacing manual sanding

TENCO S

A ship radome section (left) is stripped at low pressure (right) using the CHP blasting process

Advantages:

- No substrate damage, resulting in the elimination of unnecessary rework
- Blast medium is organic, nontoxic, biodegradable, classified as nonhazardous and generates minimal waste
- Meets MIL SPEC (MIL-P-85891) for Type VII plastic media
- Considered a "drop-in" replacement for many plastic media stripping systems (May eliminate the use of chemical strippers)
- Preliminary ECAM cost savings range: \$20,000 \$1.5 million, for various components and facilities (results available upon request)

Corn-Hybrid Polymer (CHP) Blasting Suggested Transfer Approaches

■ Potential Transfer Sites:

- Sites with high labor cost for media blasting, manual sanding or chemical stripping
- Interested sites: Navy (4), Army (3), Air Force (1), Marine Corps (1), NASA

Transfer Barriers:

- Facility requires correctly sized, operational blast containment booths
- For drop-in replacement, Military Service must accept CHP as meeting MIL SPEC for Type VII media

Lateral Transfer Approaches:

- Installation level address case-by-case interest:
 - Address media containment issues
 - Conduct site specific demonstrations as required
- Command level seek broad Command-wide acceptance:
 - Identify Program Office POCs for approval support on selected weapon systems
 - Conduct Command-wide, high visibility demonstration / validation (dem/val) as needed
 - Seek funding support for dem/val from a variety of sources

CHP Demo and Transfer History

DoD Site	Example Blasting Applications	Proof of concept	Dem / val	Transfer
Warner Robins ALC	C-130 radome, F-15 speed brake, other components	2005	2006	2008
NS Mayport *	Ship radome, antenna, Seahawk chopper	2006	2007	2008
NSB Kings Bay *	Periscope, sonar composites	2006	N/A	2006
Ft. Rucker (Contractor site)	H-60 parts, HMMWV hoods	2006	N/A	Open option
Ft. Bragg (Simmons AAF)	Aircraft composite and Al components	2006	N/A	Open option
NADEP Jacksonville *	Aircraft composite and Al components	2005	2006	2007
Corpus Christi Army Depot	H-60 blades, rotors, stabilators and other components	2008	2008	2008 (TBD)

^{* -} To be described in more detail

Successful Transfer Example – NS Mayport

- **Testing effort:** Both proof of concept and acceptance dem / val tests
- **Applications:** Composite components and full airframe UH-60 Seahawk
- Status: Appeared to be successful transfer, but site role as a Southeast Maintenance Center is changing privatization now expected



Key Transfer Outcomes:

- Provided initial chance to evaluate CHP on-site
- Labor savings: 55.5 hours/ large part (e.g. hand sanding a ship radome)
- Led to idea for a potential "regional implementation" concept, using either Service staff (civilian or military) or a Service Contractor

Successful Transfer Example – NSB Kings Bay

- Testing Effort: Only proof-of-concept tests
- **Applications:** Periscope ferrings, composite sonar window, other composites

Status:

- Rapid conversion from plastic to CHP, drop in replacement
- Workforce: Navy staff (civilian)

Key Transfer Outcomes:

- First submarine application
- No dem / val required immediate transfer



Successful Transfer Example – Fleet Readiness Center SE (NADEP Jacksonville)

- **Testing:** Both proof-of-concept and acceptance dem / val tests
- **Applications:** P3 composite radomes, other A/C composite components
- Status:
 - Operational for radomes and other parts
 - Workforce: Navy staff (civilian)
- **■** Key Transfer Outcomes:
 - Modified existing blast booth to accommodate CHP media
 - Considering expansion to other aircraft parts



Conclusion

- CHP illustrates both successful vertical and lateral transfer practices aided by core NDCEE CHP team actions over nearly 3 years
- Technology Transfer requires leadership, the right conditions and a persistent commitment to action
 - A committed end-user with a valid ESOH need
 - A mature, appropriate, usable technology solution
 - Attention to unique hurdles to be overcome in each situation
 - Appropriate and sometimes leveraged funding or information
 - A Service transfer champion (at appropriate level, e.g. depot, Command, Headquarters)
- Further potential exists for more widespread use of CHP throughout DoD
- Technology Transfer is a Contact Sport

Contact Information

NDCEE Task 429 N1 Technical Monitor **Monitor**

Name: Dr. Scott Sirchio

Organization: NSWCCD

Email: scott.sirchio@navy.mil

Phone Number: 301-227-5196

NDCEE Point of Contact

Name: Mr. Bill Thomas

Organization: CTC/NDCEE

Email: thomasw@ctc.com

Phone Number: 703-298-2358 Phone Number: 703-310-5653
This work was funded through the Office of the Assistant Secretary of the Army (Installations and Environment) and conducted under contract W74V8H-04-D-0005 Task 0429 A7 and 0429 N1. The views, opinions, and/or findings contained in this paper are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision unless so designated by other official documentation.

The contents of this document are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products. All product names and trademarks cited are the property of their respective owners. The findings in this document are not to be construed as an official

Department of the Army position unless so designated by other authorized documents.

NDCEE Task 429 A7 Technical

Name: Mr. Tom Guinivan, P.E., BCEE

Organization: USAEC

Email: thomas.guinivan@us.army.mil

Phone Number: 410-436-5910

NDCEE Point of Contact

Name: Dr. Brad Ashton

Organization: CTC/NDCEE

Email: ashtonw@ctc.com